



CST
TIRES

CST
TIRES

Cheng Shin Rubber (Xiamen) Ind., Ltd.
No. 15 Xi Bin Road, Xing Lin Industrial District, Xiamen China
T. + 86 592 6211606/6211346
F. + 86 592 6214649/6210420
www.csttires.com

BJBE04



CST BICYCLE TIRE (OE)
2025/2026

CONTENTS

TECHNICAL SPECIFICATIONS 03

Definitions of CST terms, including puncture protections

E-BIKE 05

Easier, faster, stronger

CITY 28

CST tires for work or play on city streets

ROAD 37

CST has it all: Road tires for training or competition

MTB 45


CST has the right tread patterns for hardpack, loose dirt or mud

SPECIAL 56

A complete range of specifications to meet all your needs

TUBES 62

Standard, superlight, ultralight, self-sealing or thorn-resistant tubes



Since established in 1967, CST has set the standard for excellence. Building on foundations of quality, service and integrity, CST has become the largest manufacturer of bicycle tires and major manufacturer of tires for car, 4x4, motorcycle, ATV, truck and more in the world.

CST tire ranks among the world's well-known tire companies. With 5 technology centers, 20 plants and over 23,000 employees worldwide, CST has already set the distribution network over more than 200 countries & become a well-known brand globally.

TECHNICAL SPECIFICATIONS

ANTI-PUNCTURE TECHNOLOGY

Defender SAFE

A layer of rubber is added between the tread portion and the carcass ply to increase puncture protection and serves as a wear indicator.



Defender MIX

AI: A layer of rubber is added between the tread portion and the carcass ply. The puncture-proof layer contains "dipped short fibers" to provide good puncture-proof performance.

FI: A layer of rubber is added between the tread portion and the carcass ply, and the anti-puncture rubber is compounded by high-strength rubber and high-strength chemical fibers.



Defender EPS

Lightweight and cut-resistant mesh interwoven fabric allows tires to provide good puncture resistance without adding excessive weight, reducing the risk of punctures.



Defender ALLROUND

Same as EPS, with additional Bead To Bead protection.



Defender REBOUND3

3mm thick high-resilience rubber, when encountering puncture, the foreign body is deflected to avoid further puncture.



Defender REBOUND5

5mm thick elastic layer, special high-resilience rubber, when encountering puncture, the foreign body is discharged to avoid further puncture.



Defender EVO

Dual protective layers, which integrate advantages of fiber and interwoven fabric to make the tire with excellent anti-puncture performance.



Defender ULTIMATE

The double combined protective layer, which combines the advantages of REBOUND and EPS, greatly improves the puncture resistance of the tire.



TECHNICAL SPECIFICATIONS

FOLDABLE

AR

Aramid fiber material is characterized by lighter weight than comparable steel wire beads, high strength, and foldable function.



CARCASS STRUCTURE

Mountain bike DH structure

A double-layer carcass design and bead apex, greatly improves the carcass strength of the tires, which can meet the use requirements of aggressive downhill riding.



TLR structure

Using CST TLR special tubeless tire technology, the TLR tires can be used with tire sealant to increase the performance, as well as puncture protection compared to the traditional tube type casings.



E-cargo structure

Extremely strong dual-layer carcass provides excellent safety under heavy loads, and the multi-layer carcass provides additional puncture protection.



E-MTB structure

CST E-MTB special carcass reinforcement design can meet the high-load and high-speed use requirements of E-MTB, and provides the safety and comfort of electric-assisted touring bicycles.



E-BIKE

General use



E-BIKE


High speed



CARCASS CORD

60/120/170 TPI

The density of the carcass fabric is represented by TPI (threads per inch); In principle, the higher TPI casings provide lower rolling resistance and better comfort.



CST
TIRES

E-BIKE

Easier, faster, stronger.

E-BIKE / E-Urban

QUANTUM CTC-29

FEATURES

- A modern and rugged design for city tire treads that provides riding performance for urban traffic.
- The streamlined groove design and the "diamond" pattern design of the entire tread are used to improve the drainage and grip of the wetland in rainy days, making riding safer.
- With 3.0mm thick elastic layer, special high resilience rubber; Expel the foreign body in case of puncture to avoid further puncture.

PERFORMANCE



TERRAIN



QUANTUM CTC-29 , WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00663200	24 X2.15	55-507	60	25KM	774	Single	65	REF,Defender MIX ,DefenderEPS	90kg	Black
TB00559600	24 X2.40	61-507	30	25km	1162	Single	65	REF,Defender REBOUND 3	90kg	Black
TB00579600	24 X2.40	61-507	60	25km	1189	Single	65	REF,Defender REBOUND 3.HL15	130kg	Black
TB00529000	700 X55C	55-622	30	25km	1186	Single	65	REF,Defender REBOUND 3	110kg	Black
TB00553400	700 X55C	55-622	60	25km	929	Single	65	REF,Defender MIX	110kg	Black



PLATINUM-e INFINITY CTC-25

FEATURES

- A new product with low rolling resistance and dynamic design developed for urban E-bike to meet the use of E-bike in Europe.
- It adopts E-BIKE HL structure and Defender EPS+TI3 anti-puncture technology, so that it has a stronger carcass and excellent anti-puncture performance.
- The 60TPI carcass cord brings the tire lighter, lower rolling resistance, and good riding performance.

PERFORMANCE



TERRAIN



PLATINUM-e INFINITY CTC-25 , WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00565200	28 X2.15	55-622	60	50km	1162	Single	65	REF	121kg	Black



PLATINUM-e ETERNITY CTC-23

FEATURES

- A new product with low rolling resistance and dynamic design developed for urban E-bike to meet the use of E-bike in Europe.
- A layer of TI3 anti-puncture is added between the tread and the cord layer, and the Twaron® material is introduced to improve the anti-puncture effect.
- Low rolling resistance compounds specially developed for lithium electric vehicles makes riding brisk and power-saving.

PERFORMANCE



TERRAIN



PLATINUM-e ETERNITY CTC-23 , WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00565100	28 X2.15	55-622	60	50km	1124	Single	65	REF	121kg	Black
TB00661900	700 X40C	42-622	30	25km	814	Single	75	REF、EPS	80kg	Black



PLATINUM-E CTC-17

FEATURES

- PLATINUM E Uses the directional polygon block design to increase the ground control makes it to have excellent driving and braking performance.
- A dual combination of Defender EPS and Rebound 3mm technology greatly improves the puncture resistance of tires and makes you worry-free!

PERFORMANCE



TERRAIN



PLATINUM-E CTC-17, WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00483000	700X40C	42-622	30	25km	814	Single	75	REF,Defender EPS	80kg	Black
TB00462600	28X1.75X2	47-622	30	25km	842	Single	75	REF,Defender EPS	100kg	Black
TB00458900	28X1.75X2	47-622	60	25km	976	Dual	75	REF,Defender ULTIMATE	100kg	Black
TB00455300	28X2.00	50-622	30	25km	1046	Single	65	REF,Defender EPS	100kg	Black
TB00459000	28X2.00	50-622	60	25km	1124	Dual	65	REF,Defender ULTIMATE	100kg	Black
TB00455400	28X2.15	55-622	30	25km	1161	Single	65	REF,Defender EPS	110kg	Black
TB00459100	28X2.15	55-622	60	25km	1161	Dual	65	REF,Defender ULTIMATE	110kg	Black



WATTS UP DYNAMIC CTC-07

FEATURES

- WATTS UP Dynamic has multi-functions tread pattern provides reliable traction under various conditions for E-bike.
- A dual combination of Defender EPS and Rebound 3mm technology greatly improves the puncture resistance of tires and makes you worry-free!

PERFORMANCE



TERRAIN



WATTS UP DYNAMIC CTC-07, WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00407500	26X1.75	47-559	30	25km	945	Dual	75	REF,Defender REBOUND 3	85kg	Black
TB00413700	26X1.75	47-559	60	25km	914	Dual	75	REF,Defender ULTIMATE	85kg	Black
TB00407300	28X1*5/8X1*3/8	37-622	30	25km	835	Dual	75	REF,Defender REBOUND 3	70kg	Black
TB00407900	28X1*5/8X1*3/8	37-622	60	25km	772	Dual	75	REF,Defender ULTIMATE	70kg	Black
TB00336100	700X38C	40-622	30	25km	867	Dual	75	REF,Defender REBOUND 3	80kg	Black
TB00385200	700X38C	40-622	60	25km	843	Dual	75	REF,Defender ULTIMATE	80kg	Black
TB00407400	28X1.75X2	47-622	30	25km	1097	Dual	75	REF,Defender REBOUND 3	100kg	Black
TB00407700	28X1.75X2	47-622	60	25km	1039	Dual	75	REF,Defender ULTIMATE	100kg	Black
TB00432200	28X2.00	50-622	60	25km	1099	Dual	65	REF,Defender ULTIMATE	100kg	Black

XPEDIUM GT C3031

FEATURES

- XPEDIUM GT is a new tire specially developed for urban E-bike, with a wide tread design makes great cycling comfort and cornering stability.
- The aggressive shoulder knobs design have more capability to deal with complexed terrains on hard pack terrains.
- Spec with Defender Rebound 3mm can avoid further penetration and ensure the safety of riding.

PERFORMANCE



TERRAIN



XPEDIUM GT C3031, WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00529900	700X44C	44-622	30	25km	1076	Dual	65	REF, Defender REBOUND 3	80kg	Black
TB00480800	700X47C	47-622	60	25km	704	Single	65	REF, Defender EPS	100kg	Brown
TB00520200	700X47C	47-622	30	25km	1058	Dual	65	REF, Defender REBOUND 3	100kg	Black
TB00291500	700X50C	50-622	30	25km	1142	Dual	65	REF, Defender REBOUND 3	100kg	Black
TB00520300	700X50C	50-622	60	25km	736	Single	65	REF, Defender EPS	100kg	Brown
TB00438600	700X55C	55-622	30	25km	1266	Dual	65	REF, Defender REBOUND 3	120kg	Black
TB00520400	700X55C	55-622	60	25km	824	Single	65	REF, Defender EPS	120kg	Brown

XPEDIUM LINE C1880

FEATURES

- The unique pattern design enables good grip and high comfort of tires in various kinds of road conditions.
- Variety of puncture protections available in a variety of sizes.
- Safety riding on the rainy day.

PERFORMANCE



TERRAIN



XPEDIUM LINE C1880, WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB65689300	26X1.75	47-559	60	25km	778	Dual	75	Defender EPS +SAFE	85kg	Black
TB65689200	26X1.75	47-559	60	25km	735	Single	75	Defender EPS	85kg	Black
TB65689600	26X1.75	47-559	60	25km	1019	Dual	75	Defender REBOUND 5	85kg	Black
TB95240300	28X1.75X2	47-622	60	25km	823	Dual	75	Defender EPS +SAFE	100kg	Black
TB95240200	28X1.75X2	47-622	60	25km	870	Single	75	Defender EPS	100kg	Black
TB86601100	700X25C	25-622	60	25km	631	Dual	115	Defender REBOUND 5	65kg	Black
TB00331400	700X25C	25-622	60	25km	558	Dual	115	Defender REBOUND 5	65kg	Black
TB00200000	28X1*5/8X1*1/8	28-622	60	25km	523	Single	100	Defender EPS	70kg	Black
TB00010600	28X1*5/8X1*1/8	28-622	60	25km	508	Dual	100	Defender EPS +SAFE	70kg	Black
TB00331500	28X1*5/8X1*1/8	28-622	60	25km	657	Dual	100	Defender REBOUND 5	70kg	Black
TB89358600	28X1*5/8X1*1/4	32-622	60	25km	577	Single	75	Defender EPS	70kg	Black
TB00010700	28X1*5/8X1*1/4	32-622	60	25km	563	Dual	75	Defender EPS +SAFE	70kg	Black
TB00331600	28X1*5/8X1*1/4	32-622	60	25km	677	Dual	75	Defender REBOUND 5	70kg	Black
TB90588300	28X1*5/8X1*3/8	37-622	60	25km	659	Dual	75	Defender EPS +SAFE	70kg	Black
TB90588200	28X1*5/8X1*3/8	37-622	60	25km	641	Single	75	Defender EPS	70kg	Black
TB00150700	28X1*5/8X1*3/8	37-622	60	25km	799	Dual	75	REF, Defender ULTIMATE	70kg	Black
TB00331700	28X1*5/8X1*3/8	37-622	60	25km	771	Dual	75	Defender REBOUND 5	70kg	Black
TB93962100	700X38C	40-622	60	25km	736	Dual	75	Defender EPS +SAFE	80kg	Black
TB93962000	700X38C	40-622	60	25km	642	Single	75	Defender EPS	80kg	Black
TB93962600	700X38C	40-622	60	25km	862	Dual	75	Defender REBOUND 5	80kg	Black
TB00244000	700X42C	44-622	60	25km	801	Dual	75	Defender EPS +SAFE	80kg	Black
TB00188500	28X1.75X2	47-622	60	25km	1092	Dual	75	Defender REBOUND	100kg	Black
TB92287300	28X1*1/2	40-635	60	25km	870	Dual	75	Defender REBOUND 5	80kg	Black

C3007

INCH	12X1.95	12*1/2X2*1/4	14X1.95
ETRTO	52-203	62-203	52-254
INCH	14X2.125	16X1.75	16X1.95
ETRTO	57-254	47-305	52-305
INCH	16X2.125	20X1.75	20X1.95
ETRTO	57-305	47-406	52-406



PRESTON CTC-21

FEATURES

- PRESTON is an all new tire especially developed for E-SUV bike, suitable for all terrains around the city.
- The aggressive block pattern with large contact area performs good rolling efficiency, high grip and stable cornering.
- Adopting Defender EPS technology to increase riding safety.

PERFORMANCE



TERRAIN



PRESTON CTC-21 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00481300	27.5X2.35	60-584	30	25km	1347	Dual	65	REF, Defender EPS	115kg	Black
TB00481400	29X2.35	60-622	30	25km	1400	Dual	65	REF, Defender EPS	120kg	Black

COSMO CTC-22

FEATURES

- COSMO has a Wide tread design with a beautiful outline makes riding very comfortable and fast. It is an urban E-bike tire that can better meet daily commuting and leisure riding.
- Tread groove and diamond pattern design strengthen the drainage capacity and enhance the safety of riding on a rainy days.
- Adopting Defender EPS technology to increase riding safety.

PERFORMANCE



TERRAIN



COSMO CTC-22 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00484400	27.5 X2.45	62-584	30	25km	1281	Single	65	REF,Defender EPS	115kg	Black
TB00484300	700X62C	62-622	30	25km	1333	Single	65	REF,Defender EPS	120kg	Black

OVERLAND CTC-20

FEATURES

- OVERLAND is a new ebike tire design with consecutive block tread has excellent driving and braking performance for all terrains in the city.
- Lower rolling resistance and high durability on pattern design.
- Adopting Defender EPS technology to increase riding safety.

PERFORMANCE



TERRAIN



OVERLAND CTC-20 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TBD	27.5X2.15	55-584	60	25km	1118	Single	65	REF,Defender EPS	100kg	Black
TBD	27.5X2.45	62-584	60	25km	1194	Single	65	REF,Defender EPS	115kg	Black
TBD	700X55C	55-622	60	25km	1153	Single	65	REF,Defender EPS	120kg	Black
TBD	700X62C	62-622	60	25km	1244	Single	65	REF,Defender EPS	120kg	Black
TBD	700X62C	62-622	60	25km	1028	Single	65	REF,Defender EPS	120kg	Brown



PRO BROOKLYN C1996

E-BIKE APPROVED HL

FEATURES

- The unique pattern design provides a comfortable riding experience.
- The special E-cargo carcass design(HL15 and HL20) can satisfy different weight-loading condition for E-cargo bike.

PERFORMANCE



TERRAIN



PRO BROOKLYN C1996 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00479700	20 X2.15	55-406	60	25km	863	Single	65	Defender EPS HL20	160kg	Black
TB00500700	20 X2.40	62-406	60	25km	1041	Single	65	Defender EPS HL20	160kg	Black
TB00495500	24 X2.15	55-507	60	25km	1081	Single	65	Defender EPS HL20	160kg	Black
TB00384500	26X2.15	55-559	60	25km	1247	Single	65	Defender EPS HL20	160kg	Black
TB00536300	26 X2.15	55-559	30	25km	1119	Single	65	REF, Defender EPS	160kg	Black
TB00384600	26X2.40	62-559	60	25km	1362	Single	65	Defender EPS HL20	160kg	Black
TB00107800	700 X38C	40-622	30	25km	867	Dual	75	Defender REBOUND 3.mm	80kg	Black
TB00409300	27.5 X2.00	50-584	60	25km	1052	Single	65	REF, Defender EPS HL20	160kg	Black
TB00409400	29 X2.00	50-622	60	25km	1104	Single	65	REF, Defender EPS HL20	160kg	Black



CAMION CTC-28

E-BIKE APPROVED HL

FEATURES

- The consecutive patterns reduce rolling resistance and increase the durability.
- The special E-cargo carcass design(HL15 and HL20) can satisfy different weight-loading condition for E-cargo bike.

PERFORMANCE



TERRAIN



CAMION CTC-28 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00537600	27.5X2.00	50-584	60	25km	1221	Dual	65	Defender EPS HL20	160kg	Black

CAMION ALMIGHTY CTC-31

E-BIKE APPROVED HL

FEATURES

- A new product developed for the E-CARGO model, with a Gauri pattern design, stable riding and high wear mileage; The staggered texture design of the tread on both sides improves the grip and anti-slip performance.
- HL20 high-load carcass structure design, with Defender EPS anti-puncture technology, has excellent anti-puncture performance, load performance, and high riding safety factor.
- DC2 HIGH GRIP formula design, superior grip performance and good handling performance in wet and dry land.

PERFORMANCE



TERRAIN



CAMION ALMIGHTY CTC-31 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
\	20X2.40	62-406	60	25km	1140	Dual	65	Defender EPS, HL20	160kg	Black
TB00656200	26X2.40	62-559	60	25km	1500	Single	65	REF, Defender EPS, HL20	160kg	Black

FRONT RUNNER CTC-19

FEATURES

- Well-placed knobs in tread for exceptional traction.
- Diamond and stripe knobs on shoulder to increase grip in wet condition.
- The EPDM compound stays more supple.
- Defender MIX for added puncture protection.

PERFORMANCE



TERRAIN



FRONT RUNNER CTC-19 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00458400	20X3.30	84-406	60	25km	1274	Dual	30	REF, Defender MIX	105kg	Black
TB00551600	20X3.30	84-406	30	25km	1042	Dual	30	-	105kg	Black

BIG BOAT CTC-06

FEATURES

- Smooth! Comfortable! Safe!
- A lithium tire product that can simultaneously meet the needs of urban commuting and occasional off-road riding.
- The E-Cargo structure with E-bike cargo carrying is available in the market simultaneously.

PERFORMANCE



TERRAIN



BIG BOAT CTC-06 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00453900	20 X2.40	61-406	30	50km	1053	Single	30	Defender MIX	105kg	Black
TB00278900	20 X3.00	76-406	60	50km	961	Single	30	-	105kg	Black
TB00343600	20 X3.00	76-406	60	50km	1032	Dual	30	Defender MIX	105kg	Black
TB00278800	20 X4.00	100-406	60	50km	1043	Single	30	-	115kg	Black
TB00463800	20 X4.00	100-406	60	50km	1184	Dual	30	Defender MIX	115kg	Black
TB00480500	20 X4.00	100-406	60	50km	941	Single	30	-	115kg	Brown
TB00484200	20 X4.00	100-406	60	50km	1378	Dual	30	Defender MIX+HL20	160kg	Black
TB00450100	24 X3.00	76-507	60	50km	1328	Dual	30	Defender MIX	120kg	Black
TB00475300	24 X3.00	76-507	60	50km	1217	Single	30	-	120kg	Black
TB00493600	26 X2.40	60-559	30	50km	865	Single	30	Defender MIX	115kg	Black
TB00279000	26 X3.00	76-559	60	50km	1338	Single	30	-	115kg	Black
TB00381700	26 X3.00	76-559	60	50km	1468	Dual	30	Defender MIX	115kg	Black
TB00440300	26 X3.00	76-559	60	50km	1496	Dual	30	Defender MIX	115kg	Black
TB00279100	26 X4.00	100-559	60	50km	1422	Single	30	-	125kg	Black
TB00376900	26 X4.00	100-559	60	50km	1490	Dual	30	Defender MIX	125kg	Black
TB00402200	26 X4.00	100-559	60	50km	1519	Dual	30	Defender MIX	125kg	Black
TB00482800	26 X4.00	100-559	60	50km	1286	Single	30	-	125kg	Brown
TB00354500	27.5 X1.95	50-584	30	50km	767	Dual	30	REF, Defender MIX	125kg	Black
TB00571800	27.5 X2.10	52-584	30	50km	923	Dual	30	REF, Defender MIX	125kg	Black
TB00548900	27.5 X2.25	57-584	30	50km	754	Dual	30	-	125kg	Black
TB00401000	27.5 X2.40	60-584	30	50km	923	Dual	30	REF, Defender MIX	125kg	Black
TB00643000	27.5 X2.40	60-584	60	50km	862	Dual	30	REF, Defender MIX	125kg	Brown
TB00533000	29 X2.25	57-622	30	50km	917	Dual	30	-	125kg	Black

RIDE AMBRO CEB-02

FEATURES

- RIDE AMBRO is new pattern design for E-moped style E-bike provides the excellent durability and traction performance.
- Aggressive V tape tread design increase rolling efficiency and reduce the puncture risk.
- The combination of DC2 High Grip compound and Defender Mix technology.
- Enhanced carcass design complied with ECE R-75 50km/hr certification.

PERFORMANCE



TERRAIN



RIDE AMBRO CEB-02 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00477800	20X4.00	100-406	60	50km	1674	Dual	30	Defender MIX	115kg	Black
TB00519300	20X4.00	100-406	60	50km	1673	Dual	30	Defender MIX	115kg	Black



SCOUT CEB-01

FEATURES

- SCOUT is a new pattern design for E-moped style E-bike provides the excellent durability and traction performance.
- Consecutive big block design has better grip performance and reduce the puncture risk.
- The combination of DC2 High Grip compound and Defender Mix technology.
- Enhanced carcass design complied with ECE R-75 50km/hr certification.

PERFORMANCE



TERRAIN



SCOUT CEB-01 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00477700	20X4.00	100-406	60	50km	1674	Daul	30	Defender MIX	115kg	Black
TB00489400	20X4.00	100-406	60	50km	1673	Daul	30	Defender MIX	115kg	Black



BFT CROSS CMT-13

FEATURES

- A new tire tailored to the E-FAT with a directional pattern design for excellent driving and braking performance.
- TU2 carcass structure and 40TPI cord material have good carcass strength and meet the needs of e-fat.
- The tread adopts a high wear-resistant formula to ensure the long life of the tire; The shoulder formula provides optimal grip performance when cornering.

PERFORMANCE



TERRAIN



BFT CROSS CMT-13 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00572800	20 X4.00	100-406	40	25km	1255	Daul	30	-	115kg	Black



BFT ADV CMT-12

FEATURES

- The aggressive and wild knobs design turns out the excellent driving control and acceleration.
- BFT ADV provides you have more fun on driving.
- The TU2 carcass design gives you great control and confident driving.
- Spec with DC2 High Grip compound provides excellent wet-grip performance.

PERFORMANCE



TERRAIN



BFT ADV CMT-12 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00573300	20X4.00	100-406	60	50km	1375	Dual	30	-	115kg	Black
TB00529200	20X4.50	115-406	60	50km	1693	Dual	30	Defender MIX	115kg	Black



ADVENTURE CMT-07

FEATURES

- Aggressive pattern for excellent grip.
- Well-placed knobs to aid in debris shedding in snow, sand and mountain conditions.
- Deliver confidence with Defender MIX anti-puncture.

PERFORMANCE



TERRAIN



ADVENTURE CMT-07 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00452600	20X4.00	100-406	60	50km	1278	Daul	30	Defender MIX	115kg	Black
TB00477600	26X4.00	100-559	60	50km	1764	Daul	30	Defender MIX	125kg	Black



C1936


INCH	26X4.80
ETRTO	122-559



CST
TIRES

CITY

*CST tires are ready for work
or play on city streets.*



METROPOLITAN CTC-32

FEATURES

- Specially designed for urban commuter vehicles, the high continent ratio and special pattern design have low rolling resistance, light riding and rainy days, so that it has a good resistance to wet slipping.
- With skin-edged construction, it is lightweight and has better handling and riding performance.

PERFORMANCE



TERRAIN



METROPOLITAN CTC-32 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00652500	20 X1.75	47-406	30	375	Dual	65	-	65kg	Black
TB00655900	22 X1.75	47-457	30	417	Dual	65	-	70kg	Black
TB00656000	24 X1.50	40-507	30	448	Dual	65	-	75kg	Black
TB00655800	26 X1.50	40-559	30	493	Dual	65	-	80kg	Black

LIBERTY CTC-33

FEATURES

- One designed specifically for the crossbike pattern, with a smooth center block and reduced rolling resistance.
- The main groove design on both sides is matched with the diamond tread design covered on the sidewall, which can quickly break water and drain the water and improve the grip performance of wet riding, making riding safer.
- The crown of the tire is increased with a cut-resistant mesh interwoven fabric to improve the puncture resistance of the tire and reduce the risk of puncture of the tire.

PERFORMANCE



TERRAIN



LIBERTY CTC-33 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00595500	700 X25C	25-622	30	379	Single	110	Defender EPS	70kg	Black
TB00595600	700 X28C	28-622	30	459	Single	100	Defender EPS	70kg	Black
TB00589500	700 X32C	32-622	30	487	Single	75	Defender EPS	70kg	Black
TB00589600	700 X35C	35-622	30	510	Single	75	Defender EPS	70kg	Black

**C3053**

INCH	24X1*3/8	26X1*3/8	27X1*3/8
ETRTO	37-540	37-590	37-630

**C3016**

INCH	22X1.75	24X1*3/8	24X1.50
ETRTO	47-457	37-540	40-507
INCH	24X1.75	26X1*3/8	26X1.50
ETRTO	47-507	37-590	40-559
INCH	26X1.75	27X1*3/8	
ETRTO	47-559	37-630	

**C3006**

INCH	24X1*3/8	26X1*3/8	27X1*3/8
ETRTO	37-540	37-590	37-630

**C1779**

INCH	26X2.15	26X2.35	27.5X2.35
ETRTO	55-559	60-559	60-584
INCH	28X2.00	700X40C	
ETRTO	50-622	42-622	

**C1777**

INCH	26X1*3/8	26X1.75X2	27.5X1.75
ETRTO	37-590	47-559	47-584
INCH	28X1*5/8X1*1/8	28X1*5/8X1*1/4	28X1*5/8X1*3/8
ETRTO	28-622	32-622	37-622
INCH	28X1*1/2	28X1.75X2	700X25C
ETRTO	40-635	47-622	25-622
INCH	700X38C	700X40C	
ETRTO	40-622	42-622	

**C1605**

INCH	26X1*3/8	26X1.50	26X1.75
ETRTO	37-590	40-559	47-559
INCH	26X1.90	28X1*1/2	700X32C
ETRTO	51-559	40-635	32-622
INCH	700X35C	700X38C	700X40C
ETRTO	37-622	40-622	42-622

**C1446**

INCH	24X1.50	24X1.75	26X1.50
ETRTO	40-507	47-507	40-559
INCH	26X1.75	26X1.75X2	26X1.90
ETRTO	47-559	47-559	51-559
INCH	26X1.95	28X1.75X228	X1*5/8X1*1/4
ETRTO	52-559	47-622	32-622
INCH	28 X1*5/8X1*3/8	700X38C	700 X40C
ETRTO	37-622	40-622	42-622

C1953

INCH	26X1.75	28X1*5/8X1*3/8	700 X28C
ETRTO	47-559	37-622	28-622
INCH	700 X32C	700X35C	700 X38C
ETRTO	32-622	35-622	40-622

C1720

INCH	26X1.50	700X32C	700X42C
ETRTO	40-559	32-622	44-622

METROPOLITAN ESCAPE CRD-05

FEATURES

- The unique tread design of Metropolitance Escape features a low rolling-resistance and high-grip performance.
- You can ride it on asphalt pavement, dirt road safely.
- The tread adopts a dual compound with excellent performance to ensure the long life of the tire.

PERFORMANCE



TERRAIN



METROPOLITAN ESCAPE CRD-05 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00528900	700X32C	32-622	30	458	Dual	75	-	70kg	Black
TB00515600	700X35C	37-622	30	499	Dual	75	-	70kg	Black
TB00522600	700X35C	37-622	60	469	Dual	75	-	70kg	Brown
TB00515700	700X38C	40-622	30	518	Dual	75	-	80kg	Black
TB00581100	700X38C	40-622	60	518	Single	75	-	80kg	Brown

**C1763**

INCH	24X1.25	24X1*3/8	26X1.25
ETRTO	32-507	37-540	32-559
INCH	26X1*3/8	27X1*3/8	
ETRTO	37-590	37-630	



INCH	12X1.75(H)	12X2.00(H)	12*1/2X1.75X2*1/4
ETRTO	44-203	50-203	44-203
INCH	12*1/2X2*1/4	12X1.50	14X1.50
ETRTO	57-203	40-203	40-254
INCH	14X1.75	14X1.90	14X1.95
ETRTO	47-254	48-254	48-254
INCH	16X1.50	16X1.75	16X1.90
ETRTO	40-305	47-305	48-305
INCH	16X1.95	20X1.50	20X1.75
ETRTO	48-305	40-406	47-406

C1762

INCH	14X1.75	16X1.75	20X1.35
ETRTO	47-254	47-305	37-406
INCH	20X1.50	20X1.75	
ETRTO	40-406	47-406	



INCH	14X1*3/8	16X1*3/8	20X1.50
ETRTO	37-298	37-349	40-406

C1698

INCH	12*1/2X1.75X2*1/4	14X1.35	16X1.35
ETRTO	44-203	37-254	32-305
INCH	16X1.50	20X1.50	20X1*1/8
ETRTO	40-305	40-406	28-451
INCH	20X1*3/8	20X1.20	
ETRTO	37-451	/	

C1653

*CST has it all:
Road tires for training or competition,*

**CST
TIRES**

ROAD



Road/Race

MACHVOLT PRO G5 CRD-06N

**TUBELESSREADY
TECHNOLOGY**

FEATURES

- A road TLR tire designed for road riding, with a very fast tread design with excellent low rolling resistance.
- High-grade 120TPI cord is used, which is light in weight and comfortable; At the same time, a new structure is introduced to make it have excellent comprehensive performance.
- It adopts a special formula design, which takes into account the grip performance and can also greatly reduce the rolling resistance.

PERFORMANCE



TERRAIN



MACHVOLT PRO G5 CRD-06N FOLDING

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00554500	700 X28C	28-622	120	311	Single	95	TUBELESS READY	70kg	Black

SPRINT CRD-02

FEATURES

- SPRINT is an all new road tire for training and competitions .The fast rolling tread design also enhance the draining on asphalt to let you ride safer on the rainy day.
- Sprint equipped with DC2 High Grip compound and Defender EPS anti-puncture make you have an outstanding riding safty.

PERFORMANCE



TERRAIN



SPRINT CRD-02 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00504100	700X25C	25-622	60	327	Dual	120	Defender EPS	70kg	BLACK
TB00504300	700X28C	28-622	60	355	Dual	120	Defender EPS	70kg	BLACK
TB00652100	700X33C	33-622	60	401	Dual	75	Defender EPS	80kg	BLACK
TB00574400	700X35C	37-622	60	395	Dual	75	-	80kg	BLACK

SPRINT CRD-02 FOLDING

TB00519700	12X1.35	35-203	120	116	Dual	80	-	40kg	Brown
TB00504200	700X25C	25-622	60	261	Dual	120	Defender EPS	70kg	Black
TB00504400	700X28C	28-622	60	294	Dual	120	Defender EPS	70kg	Black

ENERGIA C3045(N)

TUBELESS READY
TECHNOLOGY

FEATURES

- The latest tire to be added to our race family.
- The CST Energia features a lightweight Defender EPS layer for protection and a 120 tpi casing for suppleness and strength, the Energia truly lives up to its name.
- This tire will keep you going no matter what!

PERFORMANCE



TERRAIN



ENERGIA C3045 PREMIUM LINE, FOLDING

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00252500	700X25C	25-622	120	247	Dual	120	Defender EPS	65kg	Black
TB00252600	700X28C	28-622	120	297	Dual	120	Defender EPS	70kg	Black

ENERGIA C3045N PREMIUM LINE, FOLDING

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00553500	700X28C	28-622	120	321	Dual	120	Tubeless Ready	70kg	Black

**C1808**

INCH	700X23C	700X25C	700X28C
ETRTO	23-622	25-622	28-622
INCH	700X30C	700X32C	
ETRTO	30-622	32-622	

**C1406**

INCH	20X1	22X1	24X1
ETRTO	23-420	23-470	23-520
INCH	650X23C	700X20C	700X23C
ETRTO	23-571	20-622	23-622
INCH	700X25C	700X28C	
ETRTO	25-622	28-622	

**OVERTON CRD-01**TUBELESS READY
TECHNOLOGY**OVERTON SP CRD-03****FEATURES**

- OVERTON is an all new semi-slick tire for gravel bike. Smooth center tread and shoulder knobs guarantees the fast rolling and cornering performance on the hard pack terrains.
- Tubeless Ready technology provides the light weight and low rolling resistance.

PERFORMANCE**TERRAIN****OVERTON CRD-01 FOLDING**

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00492300	27.5X2.00	50-584	60	579	Dual	65	TUBELESS READY	95kg	Black
TB00459600	700X40C	40-622	60	460	Dual	75	TUBELESS READY	80kg	Black
TB00492600	700X40C	40-622	60	547	Single	75	TUBELESS READY	80kg	Brown
TB00507800	700X40C	40-622	60	-	Dual	75	-	80kg	BLACK
TB00574600	700X45C	45-622	60	571	Dual	75	TUBELESS READY, Defender EPS	80kg	BLACK

OVERTON SP CRD-03 WIRED

TB00515800	700 X40C	40-622	30	565	Dual	75	-	80kg	BLACK
TB00539200	700 X40C	40-622	60	-	Dual	-	Defender EPS	80kg	BLACK
TB00571700	700 X40C	40-622	30	597	Dual	75	REF, Defender EPS	80kg	BLACK
TB00606100	700 X40C	40-622	30	565	Dual	75	-	80kg	BLACK
TB00624300	700 X40C	40-622	30	565	Dual	75	-	80kg	BLACK
TB00656300	700 X40C	40-622	60	485	Single	75	-	80kg	Brown
TB00528800	700 X45C	47-622	30	665	Dual	60	-	100kg	BLACK

TIRENT C1870N

TUBELESS READY
TECHNOLOGY

FEATURES

- Product extends to GRAVEL product development according to CST B-FAST.
- Applicable terrain: hard road conditions, gravel terrain.
- Excellent rolling performance makes riding brisk.

PERFORMANCE



TERRAIN



TIRENT C1870N WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB96274000	700X40C	40-622	60	512	Dual	75	Defender EPS	80kg	Black
TB00204300	700X40C	40-622	60	647	Dual	75	Defender MIX+ ALLROUND	80kg	Black
TB00484700	700X40C	40-622	60	567	Single	75	Defender EPS	80kg	Brown

TIRENT C1870N FOLDING

TB00093100	700 X40C	40-622	60	463	Dual	75	Defender EPS	80kg	Black
TB00512700	700 X40C	40-622	60	520	Single	75	Defender EPS	80kg	Brown
TB00369700	700 X42C	44-622	60	570	Dual	75	TUBELESS READY	80kg	Brown
TB00574700	700 X47C	47-622	60	600	Dual	75	TUBELESS READY	80kg	Black

PIKA C1894

TUBELESS READY
TECHNOLOGY

FEATURES

- The CST Pika is a dirt road tire built to handle the ever-changing conditions encountered during your daily commute or a weekend gravel grind.
- The tire has ramped center knobs for a smooth, fast ride, while the shoulder tread features U-shaped knobs designed to give you confidence in the turns.
- The CST Pika comes in 700x38c and is equipped with dual compound tread, EPS protection and wire bead.

PERFORMANCE



TERRAIN



PIKA C1894 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB88981000	700X32C	32-622	60	392	Dual	75	Defender COBWEB	70	Black
TB00530900	700X35C	35-622	60	432	Single	75	—	80	Brown
TB91987000	700X35C	35-622	60	419	Dual	75	Defender COBWEB	80	Black
TB97714000	700X38C	40-622	60	435	Dual	75	Defender COBWEB	80	Black
TB00484800	700X38C	40-622	60	485	Dual	75	—	80	Brown
TB96444000	700X42C	44-622	60	516	Dual	75	Defender COBWEB	80	Black

PIKA C1894 FOLDING

TB88981100	700X32C	32-622	60	338	Dual	75	Defender COBWEB	70	Black
TB00512600	700X38C	40-622	60	512	Dual	75	TUBELESS READY	80	Brown
TB97714100	700X38C	40-622	60	388	Dual	75	Defender COBWEB	80	Black
TB00285000	700X42C	44-622	60	546	Dual	75	TUBELESS READY	80	Brown

**CST
TIRES**

MTB

***CST has the right tread patterns
for hardpack,
loose dirt or mud.***

MTB/XC

JET ARMOR CMT-09

FEATURES

- JET ARMOR is a brand new fast rolling tire for XC. The block design for XC off-road conditions has excellence performance and riding.
- 40TPI carcass and DC2 Enduro compound provide lighter weight and durability performance.

PERFORMANCE



TERRAIN



JET ARMOR CMT-09 WIRED

PATR#	SIZE	ETRTO	TPI	BEAD	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00514900	24X2.00	52-507	30	WIRE	580	Dual	65	—	85kg	Black
TB00512000	26X2.00	52-559	40	WIRE	596	Dual	65	—	90kg	Black
TB00511900	26X2.00	52-559	30	WIRE	613	Dual	65	—	90kg	Black
TB00515200	27.5X2.00	52-584	30	WIRE	668	Dual	65	—	100kg	Black
TB00519800	27.5X2.00	52-584	40	WIRE	651	Dual	65	—	100kg	Black



CAPTAIN II CMT-14

FEATURES

- The tread is designed with a low rolling resistance pattern, which is light and comfortable to ride; The shoulder is designed with diamonds, so that it has good resistance to wet slip.
- The 60TPI high-grade carcass cord is used to make it more lightweight, low rolling resistance and good riding performance, and it is equipped with Defender EPS anti-puncture technology to improve riding safety.
- Dual-formula technology with DC2 high abrasion grip, the tread abrasion formula ensures long tire life, and the shoulder grip formula provides excellent grip performance when cornering.

PERFORMANCE



TERRAIN



CAPTAIN II CMT-14 WIRED

PATR#	SIZE	ETRTO	TPI	E-BIKE	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00658900	26 X1.50	40-559	60	25km	551	Dual	65	Defender EPS	80kg	Black
TB00659000	26 X1.75	47-559	60	25km	575	Dual	65	Defender EPS	85kg	Black
TB00659100	27.5 X1.50	40-584	60	25km	603	Dual	65	Defender EPS	70kg	Black
TB00659200	27.5 X1.75	47-584	60	25km	628	Dual	65	Defender EPS	90kg	Black

CMT-08



INCH	26 X1.95	27.5X1.95
ETRTO	50-559	50-584

C1918



INCH	24X1.95	24 X2.10	24 X2.80
ETRTO	50-507	52-507	71-507
INCH	26X1.95	26X2.10	26 X2.80
ETRTO	50-559	52-559	71-559
INCH	27.5 X1.95	27.5 X2.10	29X1.95
ETRTO	50-584	52-584	50-622
INCH	29 X2.10		
ETRTO	52-622		



**C1870**

INCH	24 X1.95	26X1.95	27.5X1.95
ETRTO	50-507	50-559	50-584

**C1820**

INCH	20 X1.95	20X2.40	22 X1.95	24 X1.95
ETRTO	52-406	61-406	52-457	50-507
INCH	24X2.40	26X1.95	26X2.10	
ETRTO	61-507	50-559	54-559	
INCH	26X2.35	27.5X1.95	27.5X2.10	
ETRTO	60-559	50-584	52-584	
INCH	27.5X2.35	29X2.10	29X2.35	
ETRTO	60-584	54-622	60-622	

C1747

INCH	26X1.95	26X2.10	27.5X1.95
ETRTO	50-559	54-559	50-584
INCH	27.5X2.10	27.5X2.25	27.5X2.40
ETRTO	54-584	57-584	61-584
INCH	27.5X2.60	27.5X2.80	29X2.10
ETRTO	66-584	71-584	52-622
INCH	29X2.25	29X2.40	29X2.60
ETRTO	57-622	61-622	66-622

**TRAILLOCK CMT-10N****FEATURES**

- A professional race tyre designed for dry to mud transitions.
- The SC3 SUPER GRIP grip formula gives it excellent handling performance, excellent performance in dry and wet land, and good cornering performance.
- 120TPI lightweight carcass cord is used, with good comfort and low rolling resistance; With the technology of Defender EPS cut-resistant mesh interwoven fabric, it has good puncture resistance

PERFORMANCE**TERRAIN****TRAILLOCK CMT-10N FOLDING**

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00541200	29 X2.35	60-622	120	851	Single	65	Defender EPS	100kg	Black

TRAIL FIEND C1965

FEATURES

- The Trail Fiend is designed for the demands of the cross country racing community.
- The knobs are closely spaced and ramped for fast rolling and straight line braking performance.
- The shoulder and transition knobs are mildly aggressive to provide traction without sacrificing efficiency.

PERFORMANCE



TERRAIN



TRAIL FIEND C1965 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB90951100	27.5X2.10	54-584	30	704	Dual	65	-	105kg	Black
TB91046100	27.5X2.25	57-584	30	748	Dual	65	-	110kg	Black
TB96762100	29X2.10	54-622	30	739	Dual	65	-	110kg	Black
TB96897000	29X2.25	57-622	30	785	Dual	65	-	115kg	Black

TRAIL FIEND C1965 FOLDING

TB90951000	27.5X2.10	54-584	60	596	Dual	65	Defender EPS	105kg	Black
TB91046000	27.5X2.25	57-584	60	639	Dual	65	Defender EPS	110kg	Black
TB96762000	29X2.10	54-622	60	632	Dual	65	Defender EPS	110kg	Black
TB96891000	29X2.25	57-622	60	684	Dual	65	Defender EPS	115kg	Black

PATROL C1846

TUBELESS READY
TECHNOLOGY

FEATURES

- The CST Patrol mountain bike tire features a versatile tread pattern suitable for a broad range of conditions.
- The medium-height center knobs are ramped to reduce rolling resistance and are staggered to provide a consistent feel across the profile of the tire.
- The side knobs are fairly aggressive and provide excellent cornering grip.
- The Patrol is available with a wire bead or folding bead with EPS puncture protection.

PERFORMANCE



TERRAIN



PATROL C1846 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00429700	20 X3.0	76-406	60	1032	single	65	-	90kg	Black
TB00369500	26 X2.10	54-559	27	760	Dual	65	-	90kg	Black
TB69916000	26 X2.10	54-559	60	601	Dual	65	-	90kg	Black
TB72566200	26 X2.25	57-559	27	794	Dual	65	-	90kg	Black
TB85936000	27.5 X2.00	50-584	27	717	Dual	65	-	95kg	Black
TB90985300	27.5 X2.25	57-584	27	821	Dual	65	-	110kg	Black
TB00149100	27.5 X2.40	61-584	27	883	Dual	45	-	115kg	Black
TB00090200	27.5 X2.60	66-584	27	882	Dual	35	-	115kg	Black
TB96903100	27.5 X2.80	71-584	27	1032	Dual	65	-	120kg	Black
TB96822000	29 X2.00	50-622	27	753	Dual	65	-	100kg	Black
TB00183700	29 X2.10	54-622	27	786	Dual	65	-	110kg	Black
TB96812300	29 X2.25	57-622	27	861	Dual	65	-	115kg	Black
TB00499400	29 X2.40	61-622	27	927	Dual	65	-	120kg	Black

PATROL C1846 FOLDING

TB72566000	26X2.25	57-559	60	720	Dual	65	Defender EPS	90kg	Black
TB90985200	27.5X2.25	57-584	60	647	Dual	65	Defender EPS	110kg	Black
TB91063100	27.5X2.40	61-584	60	756	Dual	65	Defender EPS	115kg	Black
TB00378900	27.5X2.60	66-584	60	869	Dual	45	TUBELESS READY	115kg	Black
TB96903000	27.5X2.80	71-584	60	802	Dual	35	Defender EPS	120kg	Black
TB96655000	29X2.10	54-622	60	680	Dual	65	Defender EPS	110kg	Black
TB96812000	29X2.25	57-622	60	705	Dual	65	Defender EPS	115kg	Black
TB00379000	29X2.40	61-622	60	934	Dual	65	TUBELESS READY	120kg	Black
TB00236200	29X2.60	66-622	60	1083	Dual	45	Defender EPS	120kg	Black
TB00379300	29X2.60	66-622	60	1151	Dual	45	TUBELESS READY	120kg	Black
TB00236300	29X2.80	71-622	60	1119	Dual	35	Defender EPS	120kg	Black

**C1955**

INCH	26X1.95	26X2.10	27.5X1.95
ETRTO	50-559	54-559	50-584
INCH	27.5X2.10	29X2.10	
ETRTO	52-584	54-622	

**C1844**

INCH	26X2.25	26X2.40	27.5X2.25
ETRTO	57-559	60-559	57-584
INCH	27.5X2.40	29X2.25	29X2.40
ETRTO	60-584	57-622	60-622

**C1879**

INCH	26X2.10	27.5X2.10	27.5X2.25
ETRTO	52-559	52-584	57-584
INCH	29X2.10	29X2.25	700X40C
ETRTO	52-622	57-622	40-622
INCH	700X44C	700X47C	
ETRTO	44-622	47-622	

**C1807**

INCH	22X2.25	24X2.25	26X2.25
ETRTO	57-457	57-507	57-559
INCH	26X2.40	27.5X2.25	27.5X2.40
ETRTO	60-559	57-584	60-584
INCH	29X2.25	29X2.40	
ETRTO	56-622	60-622	

**C1768**

INCH	26X1.95	26X2.10	26X2.25
ETRTO	50-559	52-559	54-559
INCH	27.5X1.95	27.5X2.10	27.5X2.25
ETRTO	50-584	52-584	57-584



BFT II C1752N

FEATURES

- Large pattern blocks makes the tire have excellent traction and brake force. Larger pattern blocks in shoulder makes your turn more stable.
- Lighter casing make the riding more comfortable. The anti-puncture technology of Defender MIX makes the tire prevent penetration well.
- The tire is of general use and suitable for multiple terrains.
- Enlarged knobs together with different SIP design to strengthen the tire.

PERFORMANCE



TERRAIN



BFT II C1752N FOLDING

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00511600	29 X2.40	61-622	60	1108	Daul	50	—	100kg	Black
TB00567300	29 X2.60	66-622	60	1239	Daul	45	—	120kg	Black

CST
TIRES

SPECIAL

*Tires for the track,
street or park.*



VAULT C1854/C1854N

FEATURES

- The diamond shaped and higher tire shoulder gives fast rolling and smooth steering even without driving force.

PERFORMANCE



TERRAIN



VAULT C1854 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB29484000	20 X1.95	50-406	60	602	Dual	100	BM15	75kg	Black
TB29484200	20 X1.95	50-406	60	607	Dual	100	REF,BM15	75kg	Black
TB31003000	20 X2.20	56-406	60	657	Dual	100	-	75kg	Black
TB35950000	20 X2.40	61-406	60	684	Dual	65	-	85kg	Black

VAULT C1854N WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00559700	16 X3.00	74-305	30	453	Dual	100	-	75kg	Black
TB00559800	18 X3.00	74-355	30	523	Dual	100	-	75kg	Black
TB00564100	20 X2.40	61-406	30	604	Dual	100	-	75kg	Black
TB00559900	20 X3.00	74-406	30	600	Dual	100	-	75kg	Black



OPERATIVE C1809

FEATURES

- Smooth tire tread gives a faster performance.
- Wider tread enhances the inclined supporting force.

PERFORMANCE



TERRAIN



OPERATIVE C1809 WIRED

PATR#	SIZE	ETRTO	TPI	GRAM	COMPOUND	MAX PSI	TECHNOLOGY	LOAD	COLOR
TB00205300	12X2.25	54-203	60	285	Dual	65	-	40kg	Black
TB24696000	20X1.75	43-406	60	424	Dual	65	-	65kg	Black
TB35813000	20X2.25	54-406	60	538	Dual	65	-	75kg	Black
TB35946000	20X2.40	61-406	60	723	Dual	100	-	85kg	Black

**C1382N**

INCH	12*1/2X2*1/4	16X2.125	20 X1.95
ETRTO	57-203	57-305	53-406
INCH	20 X2.125	24X1.95	
ETRTO	57-406	53-507	

**C3046**

INCH	12X1.75
ETRTO	44-203

**C1213N**

INCH	16X1.75	16X1.95	18X1.75
ETRTO	47-305	53-305	47-355
INCH	18X1.95	18X2.125	20X1.75
ETRTO	53-355	57-355	47-406
INCH	20X1.95	20X2.125	
ETRTO	50-406	57-406	

**C3030/N**

INCH	12X1.90	14X1.90	16X1.95
ETRTO	48-203	48-254	52-305
INCH	16X2.40	18X1.95	18 X2.10(N)
ETRTO	60-305	52-355	52-355
INCH	20X1.95	20 X2.10(N)	20X2.125
ETRTO	52-406	52-406	54-406
INCH	22 X2.10(N)		
ETRTO	52-457		

*Standard, superlight, ultralight,
self-sealing or thorn-resistant tubes.*

CST
TIRES

TUBES

OPTIONAL THICKNESS

0.6mm 0.73mm 0.8mm 1.2mm 1.5mm 2.25mm 3.6mm

VALVE

GV



GV



PG

EG



EG



PE

TE

TR4A



TR4A



9000#

NG

SV



SV



C#

FV



FV



CPF

NF2

INNER TUBES

STANDARD

- CST's most popular bicycle tube for general purpose riding
- 0.97mm wall thickness
- All of the Presta Valves listed below are available in 48mm, 60mm, 80mm and 100mm valve lengths

Inch size	Inch size	Inch size	Inch size
12*1/2 × 1.75 × 2*1/4	20 × 2.125	26 × 1*3/8	650 × 32C
12*1/2 × 2*1/4	20 × 2.40	26 × 2 × 1*3/4	700 × 19/23C
12 × 1*1/4	20 × 2.50	26 × 1.0	700 × 25/32C
12 × 1*3/8	20 × 3.0	26 × 1.25/1.50	700 × 35/43C
12 × 1.50	20 × 4*1/4	26 × 1.5/1.75	700 × 47/52C
14 × 1*3/8	22 × 1*3/4	26 × 1.50	
14 × 1.10	22 × 1*3/8	26 × 1.75	
14 × 1.35	22 × 1.0	26 × 1.75/1.95	
14 × 1.50	22 × 1.5/1.75	26 × 1.9/2.125	
14 × 1.75	22 × 1.50	26 × 2*1/2	
14 × 2.125	22 × 1.75	26 × 2.125	
16 × 1*3/8	22 × 1.9/2.125	26 × 2.20/2.50	
16 × 1.5/1.75	22 × 2.125	26 × 2.35	
16 × 1.75	24 × 1*1/2	26 × 2.5/2.7	
16 × 1.9/2.125	24 × 1*1/4-1*3/8	26 × 2.8	
17.7 × 3.5	24 × 1*3/8	26 × 4.0	
17 × 1*1/4	24 × 1.0(25-540/541)	26 × 4.8	
18 × 1*3/8	24 × 1.25	27.5 × 1.50/1.75	
18 × 1.5/1.75	24 × 1.5/1.75	27.5 × 1.75	
18 × 1.75	24 × 1.75	27.5 × 1.9/2.125	
18 × 1.9/2.125	24 × 1.9/2.125	27.5 × 2.20/2.40	
18 × 2.125	24 × 2.125	27.5 × 2.60/2.80	
20 × 1 (25-451)	24 × 2.20/2.50	27.5 × 3.0	
20 × 1*1/8	24 × 2.35	27 × 1*3/8	
20 × 1*3/8	24 × 2.8	27 × 1-1*1/8	
20 × 1.10	24 × 3.5	28 × 1*1/2	
20 × 1.20	24 × 4.0	28 × 1.75 × 2	
20 × 1.35	26 × 1*1/2	29 × 2.2/2.4	
20 × 1.5/1.75	26 × 1*1/4-1*3/8	29 × 2.4/2.8	
20 × 1.75	26 × 1*3/4	29 × 3.00	

SAVE

- CST's most popular bicycle tube for general purpose riding
- 0.90mm wall thickness
- All of the Presta Valves listed below are available in 48mm, 60mm valve lengths

Inch size	Inch size
12*1/2 × 1.75 × 2*1/4 SAVE	26 × 2.35 SAVE
12*1/2 × 2*1/4 SAVE	27.5 × 1.5/1.75 SAVE
14 × 1*3/8 SAVE	27.5 × 1.9/2.125 SAVE
14 × 1.35 SAVE	27.5 × 2.20/2.40 SAVE
14 × 1.75 SAVE	27 × 1*1/8-1*1/4 SAVE
14 × 2.125 SAVE	27 × 1*3/8 SAVE
16 × 1*3/8 SAVE	28 × 1.75 × 2 SAVE
16 × 1.5/1.75 SAVE	700 × 19/23C SAVE
16 × 1.9/2.125 SAVE	700 × 25/32C SAVE
16 × 2.125 SAVE	700 × 35/43C SAVE
18 × 1.5/1.75 SAVE	700 × 47/52C SAVE
18 × 1.9/2.125 SAVE	
20 × 1*1/8 SAVE	
20 × 1*3/8 SAVE	
20 × 1.35 SAVE	
20 × 1.5/1.75 SAVE	
20 × 1.9/2.125 SAVE	
20 × 2.125 SAVE	
20 × 2.125 S SAVE	
22 × 1*3/8 SAVE	
22 × 1.5/1.75 SAVE	
22 × 1.9/2.125 SAVE	
24 × 1*3/8 SAVE	
24 × 1.5/1.75 SAVE	
24 × 1.9/2.125 SAVE	
24 × 2.35 SAVE	
26 × 1*3/8 SAVE	
26 × 1.5/1.75 SAVE	
26 × 1.90/2.125 SAVE	
26 × 2.125 SAVE	

TIRE SIZE INDEX

Inch size	ETRTO	TREAD DESIGN	PAGE
12*1.35	35-203	CRD-02	39
12*1.50	40-203	C1959	36
12*1/2X1.75X2*1/4	44-203	C1653、C1959	36
12*1/2X2*1/4	57-203	C1382N	59
		C1959	36
	62-203	C3007	13
12X1.75	44-203	C1959H	36
		C3046	60
12X1.90	48-203	C3030	60
12X1.95	52-203	C3007	13
12X2.00	50-203	C1959(H)	36
12X2.25	54-203	C1809	58
14X1*3/8	37-298	C1698	36
14X1.35	37-254	C1653	36
14X1.50	40-254	C1959	36
14X1.75	47-254	C1762、C1959	36
14X1.90	48-254	C1959	36
		C3030	60
14X1.95	52-254	C1959	36
		C3007	13
14X2.125	57-254	C3007	13
16X1*3/8	37-349	C1698	36
16X1.35	32-305	C1653	36
16X1.50	40-305	C1653、C1959	36
16X1.75	47-305	C1213N	59
		C1762、C1959	36
		C3007	13
16X1.90	48-305	C1959	36
16X1.95	52-305	C1213N	59
	48-305	C1959	36
	52-305	C3007	13
		C3030	60
16X2.125	57-305	C1382N	59
		C3007	13
16X2.40	60-305	C3030	60
16X3.00	74-305	C1854N	57
18X1.75	47-355	C1213N	59
18X1.95	53-355	C1213N	59
	52-355	C3030	60
18X2.10	52-355	C3030N	60
18X2.125	57-355	C1213N	59
18X3.00	74-355	C1854N	57
20X1	23-420	C1406	41
20X1*1/8	28-451	C1653	36
20X1*3/8	37-451	C1653	36

Inch size	ETRTO	TREAD DESIGN	PAGE
20X1.20	\	C1653	36
20X1.35	37-406	C1762	36
20X1.50	40-406	C1653、C1698	36
		C1762、C1959	
20X1.75	47-406	C1213N	59
		C1762	36
	43-406	C1809	58
		C1959	36
	47-406	C3007	13
20X1.95	50-406	CTC-32	29
		C1213N、C1382N	59
		C1820	49
	52-406	C1854	57
		C3007	13
20X2.00	50-406	C3030	60
20X2.10	52-406	C1959	36
20X2.125	57-406	C3030N	60
	54-406	C1213N、C1382N	59
20X2.15	55-406	C3030	60
20X2.20	56-406	C1996	17
20X2.25	54-406	C1854	57
20X2.40	61-406	C1809	58
		C1820	49
		C1854N/C1854	57
	62-406	C1996	17
	61-406	CTC-06	21
	62-406	CTC-31	19
20X3.00	76-406	C1846	52
	74-406	C1854N	57
20X3.30	84-406	CTC-06	21
20X4.0	100-406	CTC-19	20
		CEB-01	23
		CEB-02	22
		CMT-07	26
		CMT-12	25
		CMT-13	24
20X4.5	115-406	CTC-06	21
		CMT-12	25
22X1	23-470	CMT-12	25
22X1.75	47-457	C1406	41
		C3016	31
22X1.95	52-457	CTC-32	29
22X2.10	52-457	C1820D	49
22X2.25	57-457	C3030N	60
		C1807	54

TIRE SIZE INDEX

Inch size	ETRTO	TREAD DESIGN	PAGE
24X1	23-520	C1406	41
24X1*3/8	37-540	C1763	35
		C3006	31
		C3053、C3016	31
24X1.25	32-507	C1763	35
24X1.50	40-507	C1446	32
		C3016	31
		CTC-32	29
24X1.75	47-507	C1446	32
		C3016	31
24X1.95	53-507	C1382N	59
	50-507	C1820、C1870	49
24X2.0	52-507	C1918	48
24X2.10	52-507	CMT-09	46
24X2.15	55-507	C1918	48
24X2.25	57-507	C1996	17
24X2.40	61-507	CTC-29	6
		C1807	53
24X2.80	71-507	C1820	49
24X3.0	76-507	CTC-29	6
26X1*3/8	37-590	C1918	48
		CTC-06	21
		C1605	32
		C1763	35
26 X1.25	32-559	C1777	32
26X1.50	40-559	C3006、C3016、C3053	31
		C1763	35
		C1720	34
		C3016	31
		CMT-14	47
26X1.75	47-559	CTC-32	29
		C1446、C1605	32
		C1880	12
		C1953	34
		C3016	31
26X1.75X2	47-559	CMT-14	47
26X1.90	51-559	CTC-07	10
26X1.95	52-559	C1446、C1777	32
	50-559	C1446	32
		C1747	49
		C1768	54
		C1820、C1870	49
		C1918	48

Inch size	ETRTO	TREAD DESIGN	PAGE
26X1.95	50-559	C1406	41
26X2.00	52-559	C1955	53
26X2.10	54-559	CMT-09	46
	52-559	C1747	49
	54-559	C1768	54
	54-559	C1820	49
	52-559	C1846	52
	52-559	C1879	53
26X2.15	55-559	C1918	48
		C1779	31
26X2.25	54-559	C1996	17
	57-559	C1768	54
26X2.35	60-559	C1807、C1844	54
		C1846	52
26X2.40	60-559	C1779	31
		C1820	49
	62-559	C1807、C1844	54
		C1996	17
26X2.80	71-559	CTC-06	21
26X3.0	76-559	CTC-06	21
26X4.0	100-559	CMT-07	26
26X4.8	122-559	CTC-06	21
27.5 X1.50	40-584	C1936	27
27.5 X1.75	47-584	CMT-14	47
		C1777	32
27.5X1.95	50-584	CMT-14	47
		C1820、C1870、C1747	49
		C1768	54
		C1918	48
		C1955	53
		CMT-08	48
27.5X2.00	50-584	CTC-06	21
		C1846	52
	52-584	C1996	17
		CMT-09	46
27.5X2.10	50-584	CRD-01	42
		CTC-28	18
		C1747	49
		C1768	54
		C1820	49
		C1879	53
		C1918	48
		C1955	53

TIRE SIZE INDEX

Inch size	ETRTO	TREAD DESIGN	PAGE
27.5X2.10	52-584	C1965	51
		CTC-06	21
27.5X2.15	55-584	CTC-20	16
27.5X2.25	57-584	C1747	49
		C1807、C1768	54
		C1844	54
		C1846	52
		C1879	53
		C1965	51
		CTC-06	21
27.5X2.35	60-584	C1779	31
		C1820	49
		CTC-21	14
27.5X2.40	61-584	C1747	49
	60-584	C1807	54
		C1844	54
	61-584	C1846	52
	60-584	CTC-06	21
27.5X2.45	62-584	CTC-20	16
		CTC-22	15
27.5X2.60	66-584	C1747	49
		C1846	52
27.5X2.80	71-584	C1747	49
		C1846	52
27X1*3/8	37-630	C1763	35
		C3006	31
		C3053、C3016	31
28X1*1/2	40-635	C1605	32
		C1777	32
		C1880	12
28X1*5/8X1*1/4	32-622	C1446	32
		C1777	32
		C1880	12
28X1*5/8X1*1/8	28-622	C1777	32
		C1880	12
		C1446	32
28X1*5/8X1*3/8	37-622	C1777	32
		C1880	12
		C1953	34
		CTC-07	10
		C1446	32
28X1.75X2	47-622	C1777	32
		C1880	12
		CTC-07	10
		CTC-17	9

TIRE SIZE INDEX

Inch size	ETRTO	TREAD DESIGN	PAGE
700X28C	28-622	C3045(N)	40
		CRD-02	39
		CRD-06N	38
		CTC-33	30
700X30C	30-622	C1808	41
700X32C	32-622	C1605	32
		C1720	34
		C1808	41
		C1894	44
		C1953	34
		CRD-05	33
		CTC-33	30
700X33C	33-622	CRD-02	39
700X35C	37-622	C1605	32
	35-622	C1894	44
		C1953	34
	37-622	CRD-02	39
		CRD-05	33
700X38C	40-622	CTC-33	30
		C1446、C1605、C1777	32
		C1880	12
		C1894	44
		C1953	34
		C1996	17
		CRD-05	33
		CTC-07	10
700X40C	42-622	C1446	32
		C1605	32
		C1777	32
		C1779	31
	40-622	C1870N	43
		C1879	53
		CRD-01	42
		CRD-03	42
	42-622	CTC-17	9
		CTC-23	8
700X42C	44-622	C1720	34
		C1870N	43
		C1880	12
		C1894	44
700X44C	44-622	C1879	53
700X45C	45-622	C3031	11
700X47C	47-622	CRD-01	42
		CRD-03	42
		C1870N	43

CST
WHERE PASSION
MEETS THE GROUND